

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/18/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
254	4539	114 Davis Avenue			
255	4537	107 Mohr Avenue			
256	4536	71 Mohr Avenue			
257	4534	21 Clubb Street			
258	4535	38 Davis Avenue			
259	4533	45 Philips Street			
169	2258	5 Park Street			
170	2104	20 Park Street			
171	2105	52 State Street			
172	2103	28 State Street			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/19/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
260	4541	11 Wagner Street			
261	4514	10 Dalebrook Road			
262	4517	68 Dalebrook Road			
263	4515	23 Dalebrook Road			
264	4516	56 Dalebrook Road			
265	4519	33 Skyview Road			
173	2102	23 State Street			
174	2106	42 Park Street			
175	1114	58 Park Street			
176	1115	757 Bloomfield Avenue			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APPROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/20/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
266	4518	45 Skyview Road			DEAD END
267	4520	Huck Road at South Side of Middle School			DEAD END
268	4521	Front of Middle School			DEAD END
269	4522	39 Este Place			
270	4523	31 Este Place			
271	4524	9 Este Place			
177	2115	9 Park Avenue			
178	2114	73 State Street			
179	2108	35 Park Avenue			
180	2107	23 Jersey Street			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF THIRTY MINUTES EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APPROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/21/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
272	4525	17 Skyview Road			
273	4528	1 Skyview Road			
274	4527	1 Johnson Avenue			
275	4529	77 Johnson Avenue			
276	4530	Johnson Avenue and Clair Street			
277	4531	71 Clair Street			DEAD END
181	2109	63 Park Avenue			
182	2110	1 Edgewood Road			
183	2234	160 Broad Street			
184	2113	141 State Street			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APPROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/22/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
278	4532	15 Phillips Street			
279	4410	29 Eaton Place			
280	4409	59 Eaton Place			
281	4408	78 Eaton Place			
282	4407	39 Donna Drive			
283	4406	15 Donna Drive			
185	2112	394 Belleville Avenue			
186	2111	31 Edgewood Road			
187	2233	350 Belleville Avenue			
188	2232	38 Elm Street			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APPROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/23/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
284	4560	1 Parsons Court			
285	4412	Parsons Court			DEAD END
286	4505	2 Yanticaw Avenue			
287	4405	42 Yantecaw Avenue			
288	4401	Yantecaw Avenue			DEAD END
289	4402	16 Burnett Street			DEAD END
189	2241	19 Church Street			
190	2274	Rosewood Terrace			DEAD END
191	2231	294 Belleville Avenue			
192	2244	25 Oak Street			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/24/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
290	4403	19 Hawthorne Avenue			
291	4404	63 Hawthorne Avenue			
292	4413	546 Watchung Avenue			
293	4411	466 Watchung Avenue			
294	4510	9 Brookdale Gardens			
295	4511	21 Brookdale Gardens			
193	2225	186 Broad Street			
194	2224	207 Broad Street			
195	2223	State Street and Broad Street			
196	2117	State Street (at the bend)			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APPROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/25/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
296	4512	57 Brookdale Gardens			
297	4513	80 Brookdale Gardens			DEAD END
298	5101	41 Glenfield Road			
299	5102	13 Glenfield Road			
300	5103	15 Poe Avenue			
301	5104	Reid at Poe			
197	2116	167 State Street			
198	2222	71 Maple Street			
199	2221	60 Maple Street			
200	2219	30 Maple Street			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APPROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/26/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
302	5106	Hawthorne at Watchung and Reid			
303	5105	104 Hawthorne Avenue			DEAD END
304	5107	1 Lowell Terrace			
305	5108	41 Lowell Terrace			DEAD END
306	5109	2 Emerson Terrace			
307	5110	36 Emerson Terrace			DEAD END
201	2218	7 Maple Street			
202	2227	253 Spruce Street			
203	2228	240 Spruce Street			
204	2229	223 Spruce Street			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/27/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
308	5112	Watchung and Whittier			
309	5111	36 Whittier Terrace			DEAD END
310	5113	30 Davidson Road			DEAD END
311	5138	13 Mountain Avenue			
312	5139	49 Mountain Avenue			
313	5125	89 Parkview Drive on Mountain Ave.			
205	2230	204 Spruce Street			
206	2226	43 New Street			
207	2214	251 Belleville Avenue			
208	2213	249 Belleville Avenue			DEAD END

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APPROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/28/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
314	5126	150 Mountain Avenue			
315	5127	118 Parkview Drive			
316	5143	52 Hyde Road			
317	5144	16 Hyde road			
318	5145	2 Hyde Road on Clairmont Avenue			
319	5146	68 Claremont Avenue			
209	2212	300 Walnut Street			
210	2211	291 Walnut Street			DEAD END
211	2210	200 Belleville Avenue			
212	2275	On Williamson near Belleville			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APPROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/29/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
320	5147	42 Claremont Avenue			
321	5148	13-15 Newell Drive on Claremont Place			
322	5149	37 Newell Drive			
323	5150	65 Newell Drive on Bellevue Avenue			
324	5151	Bellevue Avenue at Brookdale Park Entrance			
325	5152	71 Bellevue Avenue			DEAD END
213	2324	33 Clarendon Place			
214	2322	1 Forest Drive			
215	2323	39 Forest Drive			DEAD END
216	2216	Kennedy Drive			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APPROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/30/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
326	5442	2 Foster Street			
327	5437	1614 Broad Street at Red Maple Avenue			
328	5438	1570 Broad Street			
329	5439	1648 Broad Street			
330	5440	1680 Broad Street			
331	5441	1726 Broad Street near Clifton Border			
217	2217	Kennedy Drive			
218	3201	Spring Street			
219	3202	85 Spring Street			
220	3204	Spring Street at East Almira			

HYDRANT FLUSHING SEQUENCE 2023 PROGRAM

THESE HYDRANTS ARE TO BE FLUSHED FIRST. THESE HYDRANTS SHALL BE RUN FOR A MINIMUM OF **THIRTY MINUTES** EACH, EVEN IF THE WATER IS RUNNING CLEAR. SLOWLY OPEN HYDRANT TO ALLOW AIR TO ESCAPE ONCE FULLY OPENED SLOWLY CLOSE HYDRANT UNTIL IS OPERATING AT APPROX. 75% FOR THE DURATION. **IF AT ANY POINT DURING THE FLUSHING, EVEN WITHIN THE LAST MINUTE OF THE THIRTY MINUTES, IF THE WATER BEGINS TO CHANGE OR BECOMES BROWN THE HYDRANT SHOULD REMAIN OPEN UNTIL THE WATER RUNS CLEAR AGAIN - EVEN IF THE FLUSHING EXCEEDS THE MINIMUM THIRTY MINUTE RUN TIME.**

At the completion of hydrant maintenance, a work order will also be completed in the Hydrant Module of Emergency Reporting indicating a completed inspection and/or making a repair request. Take and attach pictures to the Repair Work Order to illustrate the problem or show insufficient water flow as needed. Before creating a new Repair Work Order, ensure that it is not already entered into the Emergency Reporting System.

*If NO REPAIR is needed please ensure the work order is closed by clicking Completed.

7/31/2023

SEQUENCE	HYD. NO.	STREET ADDRESS	DATE FLUSHED	INITIAL	COMMENTS
332	5434	11 Elmbrook Place			
333	5413	45 Elmbrook Place			
334	5412	74 Golf Road			
335	5411	54 Golf Road			
336	5410	38 Golf Road			
337	5409	16 Golf Road			
221	3208	47 Division Street			
222	3207	10 Wilson Place			
223	3204	76 Spring Street at East Almira Street			
224	3205	65 East Almira Street			